# Index of Authors


ABOUL-NASR, A. E. *See* GABER, M. S.

ALI, N. M. H. and BEHNKE, J. M. Non-specific immunodepression by larval and adult *Nematospiroides dubius*, 153

ANDERSON, MARIA. *See* LLEWELLYN, J.

ARME, C. *See* RICHARDS, K. SYLVIA

ARME, C. *See* JEFFS, S. A.

ARNOLD, S. E. *See* CROMPTON, D. W. T.

ATKINSON, H. J. *See* FOX, P. C.

BARNWELL, J. W. *See* HOWARD, R. J.

BARRETT, J. The anaerobic end-products of helminths, 179

BARRY, J. D. and EMERY, D. L. Parasite development and host responses during the establishment of *Trypanosoma brucei* infection transmitted by tsetse fly, 67

BEHNKE, J. M. *See* ALI, N. M. H.

BENNETT, J. L. *See* THOMPSON, D. P.

BINDSEIL, E. and CHRISTENSEN, N. Ø. Thymus-independent crypt hyperplasia and villous atrophy in the small intestine of mice infected with the trematode *Echinostoma revolutum*, 431

BIRTLE, A. J. *See* WRIGHT, D. J.

BRAY, R. A. *See* WILLIAMS, H. H.

BURT, M. D. B. *See* MACKINNON, BARBARA M.

CAPRON, A. *See* OUAISSI, M. A.

CARRERA, E. *See* MARTIN, JEAN

CHAYEN, ANN. *See* ORTEGA-PIERRES, GUADALUPE

CHINABUT, S. *See* GIBSON, D. I.

CHRISTENSEN, N. Ø. *See* BINDSEIL, E.

CHUSATTAYANOND, W. *See* DENHAM, D. A.

CLARKE, N. W. T. *See* ORTEGA-PIERRES, GUADAULPE

CORNELISSEN, A. W. C. A., OVERDULVE, J. P. and VAN DER PLOEG, M. Cytochemical studies on nuclear DNA of four eucoccidian parasites, *Isospora* (*Toxoplasma*) *gondii*, *Eimeria tenella*, *Sarcocystis cruzi* and *Plasmodium berghei*, 13

CORNELISSEN, A. W. C. A., OVERDULVE, J. P. and VAN DER PLOEG, M. Determination of nuclear DNA of five eucoccidian parasites, *Isospora* (*Toxoplasma*) *gondii*, *Sarcocystis cruzi*, *Eimeria tenella*, *E. acervulina* and *Plasmodium berghei*, with special reference to gametogenesis and meiosis in *I.* (*T.*) *gondii*, 531

CORNETTE, J. *See* OUAISSI, M. A.

COTTRELL, B. J. *See* STURROCK, R. F.

CROMPTON, D. W. T. *See* MARTIN, JEAN

CROMPTON, D. W. T., KEYMER, A. E. and ARNOLD, S. E. Investigating over-dispersion; *Moniliformis* (Acanthocephala) and rat, 317

DEAN, D. A. *See* MANGOLD, BEVERLY L.

DEN HOLLANDER, J. E. and ERASMUS, D. A. *Schistosoma mansoni*: DNA synthesis in males and females from mixed and single-sex infections, 463

DENHAM, D. A., SUSWILLO, R. R. and CHUSATTAYANOND, W. Parasitological observations on *Meriones unguiculatus* singly or multiply infected with *Brugia pahangi*, 295

EMERY, D. L. *See* BARRY, J. D.

ERASMUS, D. A. *See* DEN HOLLANDER, J. E.

FERNANDO, M. A. *See* PASTERNAK, J.

FOX, P. C. and ATKINSON, H. J. Isoelectric focusing of general protein and specific enzymes from pathotypes of *Globodera rostochiensis* and *G. pallida*, 131

FREEMAN, R. R. *See* HOLDER, A. A.
FRY, M. and JENKINS, D. C. *Nippostrongylus brasiliensis*: the effect of mitochondrial inhibitors on life-cycle stages, 163

GABER, M. S., KHAHIL, G. M., HOOGSTRAAL, H. and ABOUL-NASR, A. E. *Borrelia crocidurae* localization and transmission in *Ornithodoros erraticus* and *O. savignyi*, 403
GIBSON, D. I. and CHINABUT, S. *Rohdella siamensis* gen. et sp.nov. (Aspidogastridae: Rohdellinae subfam. nov.) from freshwater fishes in Thailand, with a reorganization of the classification of the subclass Aspidogastrea, 383
GILL, D. E. *See* MOCK, BEVERLY A.
GRENFELL, B. T. *See* SMITH, G.

HABBERSETT, MARY C. *See* ST J. CRANE, M.
HALTON, D. W. *See* ROBINSON, R. D.
HESKETH, PATRICIA. *See* ROSE, M. ELAINE
HOLDER, A. A. and FREEMAN, R. R. Characterization of a high molecular weight protective antigen of *Plasmodium yoelii*, 211
HOLLAND, CELIA. Interactions between *Moniliformis* (Acanthocephala) and *Nippostrongylus* (Nematoda) in the small intestine of laboratory rats, 303
HOOGSTRAAL, H. *See* GABER, M. S.
HOWARD, R. J. and BARNWELL, J. W. Solubilization and immunoprecipitation of $^{125}$I-labelled antigens from *Plasmodium knowlesi* schizont-infected erythrocytes using non-ionic, anionic and zwitterionic detergents, 27
HOWARD, R. J., KAO, VIVIEN and BARNWELL, J. W. Protein antigens of *Plasmodium knowlesi* clones of different variant antigen phenotype, 221
HUDSON, L., SNARY, D. and MORGAN, SARA-JANE. *Trypanosoma cruzi*: continuous cultivation with murine cell lines, 283

JEFFS, S. A. and ARME, C. *Hymenolepis diminuta*: protein synthesis in cysticercoids, 351
JENKINS, D. C. *See* FRY, M.

KAO, VIVIEN *See* HOWARD, R. J.
KEYMER, A. E. *See* CROMPTON, D. W. T.
KHAHIL, G. M. *See* GABER, M. S.
KHAHIL, GALILA M. Fecundity-reducing pheromone in *Argas* (*Persicargas*) *arboreus* (Ixodoidea: Argasidae), 395
KIMANI, R. *See* STURROCK, R. F.

LAWN, A. M. *See* ROSE, M. ELAINE
LLEWELLYN, J. and ANDERSON, MARIA. The functional morphology of the copulatory apparatus of *Ergenstrema labrosi* and *Ligophorus angustus*, monogenean gill parasites of *Chelon labrosus*, 1

MACKINNON, BARBARA M. and BURT, M. D. B. The development of the tegument and cercomer of the polycephalic larvae (cercoscolices) of *Paricterotaenia paradoxa* (Rudolphi, 1802) (Cestoda: Dilepididae) at the ultrastructural level, 117
MANGOLD, BEVERLY, L. and DEAN, D. A. The migration and survival of gamma-irradiated *Schistosoma mansoni* larvae and the duration of host–parasite contact in relation to the induction of resistance in mice, 249
MARTIN, JEAN, CROMPTON, D. W. T., CARRERA, E. and NESHEIM, M. C. Mucosal surface lesions in young protein-deficient pigs infected with *Ascaris suum* (Nematoda), 333
MASSAMBA, N. N. and WILLIAMS, R. O. Distinction of African trypanosome species using nucleic acid hybridization, 55
MATUSCHKA, F. R. Endodyogeny in *Isospora rastegaievae* from the Eurasian hedgehog (*Erinaceus europaeus* L.), 9
MCDONALD, V. and SHIRLEY, M. W. *Eimeria mitis*: a comparison of the endogenous developmental stages of a line selected for early maturation and the parent strain, 37

McLaren, Diane, J., Peterson, G. G. B. and Venge, Per. *Schistosoma mansoni*: further studies of the interaction between schistosomula and granulocyte-derived cationic proteins *in vitro*, 491
Mettrick, D. F. *See* Sukhdeo, M. V. K.
Meuwissen, J. H. E. Th. *See* Sinden, R. E.
Millard, B. J. *See* Rose, M. Elaine
Mock, Beverly A. and Gill, E. D. The infrapopulation dynamics of trypanosomes in red-spotted newts, 267
Morgan, Sara-Jane. *See* Hudson, L.
Murray, P. K. *See* St J. Crane, M.

Nesheim, M. C. *See* Martin, Jean

O'Grady, R. T. Changes in the somatic musculature of the 4th-stage larvae of *Ascaris suum* Goeze, 1782 (Nematoda: Ascaridoidea) developing in swine, 141
Ortega-Pierres, Guadalupe, Chayen, Ann, Clarke, N. W. T. and Parkhouse, R. M. E. The occurrence of antibodies to hidden and exposed determinants of surface antigens of *Trichinella spiralis*, 359
Ouaissi, M. A., Cornette, J. and Capron, A. Occurrence of fibronectin antigenic determinants on *Schistosoma mansoni* lung schistosomula and adult worms, 85
Overdulve, J. P. *See* Cornelissen, A. W. C. A.
Owen, Dawn G. *See* Rose, M. Elaine

Parkhouse, R. M. E. *See* Ortega-Pierres, Guadalupe
Pasternak, J. and Fernando, M. A. Host cell response to coccidian infection: an introspective survey, 555
Pax, R. A. *See* Thompson, D. P.
Peterson, G. G. B. *See* McLaren, Diane J.
Ponnudurai, T. *See* Sinden, R. E.

Rau, M. E. Loss of behavioural dominance in male mice infected with *Trichinella spiralis*, 371
Rau, M. E. The open-field behaviour of mice infected with *Trichinella pseudospiralis*, 415
Richards, K. Sylvia and Arme, C. Maturation of the scolex syncytium in the metacestode of *Hymenolepis diminuta*, with special reference to microthrix formation, 341
Roberts, I. T. J. *See* Wright, D. J.
Robinson, R. D. and Halton, D. W. A stereological analysis of the tegumental mitochondria in *Corrigia vitta* (Trematoda: Dicrocoeliidae), 439
Rose, M. E. *See* Wisher, M. H.
Rose, M. Elaine, Lawn, A. M. and Millard, B. J. The effect of immunity on the early events in the life-cycle of *Eimeria tenella* in the caecal mucosa of the chicken, 199
Rose, M. Elaine, Owen, Dawn G. and Hesketh, Patricia. Susceptibility to coccidiosis: effect of strain of mouse on reproduction of *Eimeria vermiformis*, 45

Schmatz, D. M. *See* St J. Crane, M.
Shirley, M. W. *See* McDonald, V.
Simm, A. M. *See* Sinden, R. E.
Sinden, R. E., Ponnudurai, T., Smits, M. A., Simm, A. M. and Meuwissen, J. H. E. Th. Gametocytogenesis of *Plasmodium falciparum in vitro*: a simple technique for the routine culture of pure capacitated gameotocytes *en masse*, 239
Smith, G. and Grenfell, B. T. The influence of water temperature and pH on the survival of *Fasciola hepatica* miracidia, 97
Smith, Gary. Density-dependent mechanisms in the regulation of *Fasciola hepatica* populations in sheep, 449
Snary, D. *See* Hudson, L.
Stevens, S. *See* St J. Crane, M.
St J. Crane, M., Schmatz, D. M., Stevens, S., Habbersett, Mary C. and Murray, P. K. *Eimeria tenella*: *in vitro* development in irradiated bovine kidney cells, 521
Sturrock, R. F., Cottrell, B. J. and Kimani, R. Observations on the ability of repeated, light exposures to *Schistosoma mansoni* cercariae to induce resistance to reinfection in Kenyan baboons (*Papio anubis*), 505

SUKHDEO, M. V. K. and METTRICK, D. F. Migrational responses of *Hymenolepis diminuta* to surgical alteration of gastro-intestinal secretions, 421
SUSWILLO, R. R. *See* DENHAM, D. A.

THOMPSON, D. P., PAX, R. A. and BENNETT, J. L. *Schistosoma mansoni*: a comparative study of schistosomula transformed mechanically and by skin penetration. Electrophysiological responses to a wide range of substances, 477

VAN DER PLOEG, M. *See* CORNELISSEN, A. W. C. A.
VENGE, PER. *See* MCLAREN, DIANE J.

WILLIAMS, H. H. and BRAY, R. A. *Chimaerocestos prudhoei* gen. et sp.nov., representing a new family of tetraphyllideans and the first record of strobilate tapeworms from a holocephalan, 105
WILLIAMS, R. O. *See* MASSAMBA, N. N.
WISHER, M. H. and ROSE, M. E. The large-scale preparation of purified sporozoites of *Eimeria* spp. by metrizamide density-gradient centrifugation, 515
WRIGHT, D. J., BIRTLE, A. J. and ROBERTS, I. T. J. Triphasic locomotor response of a plant-parasitic nematode to avermectin: inhibition by the GABA antagonists bicuculline and picrotoxin, 375

# Index of Subjects


African trypanosome spp., distinction of using nucleic acid hybridization, 55
Anaerobic end-products, of helminths, 179
Antibodies, monoclonal, to surface antigens of *Trichinella spiralis*, 359
Antigen(s), characterization of a high molecular weight protective form of from *Plasmodium yoelii*, 211
  characterization of from *Plasmodium knowlesi* clones, 221
  detection of on the surface of *Plasmodium*-infected erythrocytes, 27
  of *Trichinella spiralis*, monoclonal antibodies to, 359
Antigenic determinants, of fibronectin on *Schistosoma mansoni* surface, 85
Antigenic variation, evidence of during establishment of *Trypanosoma brucei* infection, 67
*Argas* (*Persicargas*) *arboreus*, production of a fecundity-reducing pheromone by, 395
*Ascaris suum*, changes in the somatic musculature of the 4th-stage larvae of, 141
  effect of on the intestinal surface mucosa of infected, protein-deficient pigs, 333
Asexual stages, effect of immunity on in *Eimeria tenella*, 199
Aspidogastrea, reorganization of the classfication of, 383
Avermectin, triphasic locomotor response of a plant-parasitic nematode to, 375

Behaviour, of mice infected with *Trichinella pseudospiralis*, 415
Behavioural dominance, loss of in male mice infected with *Trichinella spiralis*, 371
*Borrelia crocidurae*, localization and transmission of in *Ornithodoros erraticus* and *O. savignyi*, 403
*Brugia pahangi*, single or multiple infections of in *Meriones unguiculatus*, 295

Cationic protein, granulocyte-derived, interacts with schistosomula, 491
*Chimaerocestos prudhoei*, gen. et sp.nov., 105
Clones, of *Plasmodium knowlesi* of different variant antigen phenotypes, 221
Coccidiosis, susceptibility of various strains of mice to, 45
Copulatory apparatus, functional morphology of in *Ergenstrema labrosi* and *Ligophorus angustus*, 1
*Corrigia vitta*, ultrastructure of tegumental mitochondria in, 439
Culture, long-term continuous, of *Trypanosoma cruzi* with murine cell lines, 283
Cysticercoids, of *Hymenolepis diminuta*, protein synthesis in, 351
Cytofluorometry, use of for determining the position of meiosis in the life-cycle of *Isospora* (*Toxoplasma*) *gondii*, 531

Density-dependent mechanisms, in the regulation of *Fasciola hepatica* in sheep, 449
Detergents, use of in identification of malarial antigen, 27
Development, comparison of between *Eimeria mitis* and a precocious line derived from it, 37
  effect of immunity on in asexual stages of *Eimeria tenella*, 199
  effect of mitochondrial inhibitors on in *Nippostrongylus brasiliensis*, 163
  electrophysiological properties during, in *Schistosoma mansoni*, 477
  *in vitro*, of *Eimeria tenella* in irradiated bovine kidney cells, 521
  of *Paricterotaenia paradoxa* polycephalic larvae, 117
  of somatic musculature in *Ascaris suum*, 141
  of the metacestode of *Hymenolepis diminuta*, 341
DNA, cytochemical observations of in various eucoccidian parasites, 13
  determination of in five eucoccidian parasites, 531
  synthesis, pattern of in male and female *Schistosoma mansoni*, 463

*Echinostoma revolutum*, gut pathology of mice infected with, 431
*Eimeria mitis*, endogenous development of, 37
*Eimeria tenella*, effect of immunity on the asexual stages of, 199
  Feulgen fluorescent staining of DNA in, 13
  *in vitro* development of in irradiated bovine kidney cells, 521

*Eimeria vermiformis*, susceptibility of mice to, 45
*Eimeria* spp., large-scale preparation of the purified sporozoites of, 519
Electrophysiological properties, of the schistosomulum of *Schistosoma mansoni*, 477
Endodyogeny, in *Isospora rastegaievae*, 9
End-products, of helminths, 179
Enzyme variation, analysis of in *Globodera* spp., 131
*Ergenstrema labrosi*, functional morphology of the copulatory apparatus of, 1
Establishment of infection, kinetics of in *Trypanosoma brucei*-infected tsetse flies, 67
Eucoccida, determination of nuclear DNA in, 531

*Fasciola hepatica*, density-dependent mechanisms in the regulation of in sheep, 449
survival of the miracidia of, 97
Fecundity-reducing pheromone, production of by *Argas* (*Persicargas*) *arboreus*, 395
Fibronectin antigenic determinants, occurrence of on *Schistosoma mansoni* surface, 85
First record, of a strobilate tapeworm from a holocephalan, 105
Frequency distribution, of *Moniliformis dubius* in rats, 317

Gametocytes, a simple technique for routine culture of, 239
Gametocytogenesis, of *Plasmodium falciparum in vitro*, 239
Gastro-intestinal secretions, effect of surgically-induced changes in on migration of *Hymenolepis diminuta*, 421
*Globodera pallida*, analysis of general protein and enzyme variation in, 131
*Globodera rostochiensis*, analysis of general protein and enzyme variation in, 131
Granulocyte-derived cationic proteins, interaction of with schistosomula, 491

Helminths, variability in end-products from carbohydrate breakdown by, 179
Holocephalan, first record of a strobilate tapeworm from, 105
Host–parasite contact, effects of duration of on induction of resistance, 249
Host–parasite relationships, the interaction beween *Nippostrongylus brasiliensis* and *Moniliformis dubius* in rats, 303
*Hymenolepis diminuta*, maturation of the scolex syncytium of the metacestode of, 341
migrational response to alterations in host intestinal secretions, 421
protein synthesis in the cysticercoids of, 351
Hybridization, of nucleic acids as a means of distinguishing African trypanosome species, 55

Immunity, effect of on the asexual stages of *Eimeria tenella*, 199
Immunodepression, by larval and adult *Nematospiroides dubius*, is non-specific, 153
Infrapopulation dynamics, of trypanosomes in red-spotted newts, 267
Intestine, pathology of in *Echinostoma revolutum*-infected mice, 431
Irradiated host cells, use of for *in vitro* cultivation of *Eimeria tenella*, 521
Isoelectric focusing, use of to analyse protein and enzyme variations in *Globodera* spp., 131
*Isospora rastegaievae*, endodygeny in, 9
*Isospora* (*Toxoplasma*) *gondii*, Feulgen fluorescent staining of DNA in, 13

Life-cycle, comparison of between *Eimeria mitis* and a precocious line derived from it, 37
stages, of *Nippostrongylus brasiliensis*, effects of mitochondrial inhibitors on, 163
*Ligophorus angustus*, functional morphology of the copulatory apparatus of, 1
Localization, of *Borrelia crocidurae* in *Ornithodoros* spp., 403
Long-term cultivation, of *Trypanosoma cruzi* with murine cell lines, 283

Malarial antigen, identification of by use of detergents, 27
Mechanism, of action of avermectin on the plant-parasitic nematode *Meloidogyne incognita*, 375
Meiosis, determination of the position of in the life-cycle of *Isospora* (*Toxoplasma*) *gondii*, 531
*Meloidogyne incognita*, effect of avermectin on, 375
*Meriones unguiculatus*, studies of single or multiple infections of *Brugia pahangi* in, 295
Metrizamide density gradients, use of for large-scale purification of *Eimeria* sporozoites, 515
Migration, of γ-irradiated *Schistosoma mansoni* larvae, 249
of *Hymenolepis diminuta*, effects of changes in host gastro-intestinal secretions on, 421
Miracidia, effect of water temperature and pH on the survival of, 97

Mitochondria, in the tegument of *Corrigia vitta*, 439
*Moniliformis dubius*, frequency distribution of in rats, 317
interaction of with *Nippostrongylus brasiliensis* in rats, 303
Morphology, functional, of the copulatory apparatus of *Ergenstrema labrosi* and *Ligophorus angustus*, 1
of somatic muscle cells in *Ascaris suum*, 141
of the mucosal surface of the intestines of *Ascaris suum*-infected, protein-deficient pigs, 333
stereological analysis of in the tegumental mitochondria of *Corrigia vitta*, 439

*Nematospiroides dubius*, non-specific immunodepression induced by, 153
New genus, *Chimaerocestos prudhoei*, 105
*Rohdella siamensis*, 383
New species, *Chimaerocestos prudhoei*, 105
*Rohdella siamensis*, 383
*Nippostrongylus brasiliensis*, effect of mitochondrial inhibitors on the life-cycle stages of, 163
interaction of with *Moniliformis dubius* in rats, 303
Nucleic acid hybridization, use of to distinguish African trypanosome species, 55

*Ornithorodoros* spp., localization and transmission of *Borrelia crocidurae* in, 403
Over-dispersion, investigation of in *Moniliformis*-infected rats, 317

*Paricterotaenia paradoxa*, development of the polycephalic larvae of, 117
Pathology of the gut of *Echinostoma revolutum*-infected mice, 431
pH, effect of on the survival of *Fasciola hepatica* miracidia, 97
Pheromone, fecundity reducing, in *Argas* (*Persicargas*) *arboreus*, 395
*Plasmodium berghei*, Feulgen fluorescent staining of DNA in, 13
*Plasmodium falciparum*, gametocytogenesis of, 239
*Plasmodium knowlesi* clones, characterization of protein antigens from, 221
identification of antigens from in schizont-infected erythrocytes, 27
*Plasmodium yoelii*, characterization of protective antigen of, 211
Polycephalic larvae, development of in *Paricterotaenia paradoxa*, 117
Population, regulation of by density-dependent mechanisms for *Fasciola hepatica* in sheep, 449
Protective antigen, characterization of from *Plasmodium yoelii*, 211
Protein deficiency, effect of on intestinal surface mucosal morphology in young, *Ascaris*-infected pigs, 333
Protein synthesis, in the cysticercoids of *Hymenolepis diminuta*, 351

Regulation, of *Fasciola hepatica* populations in sheep, 449
Resistance, induction of by $\gamma$-irradiated *Schistosoma mansoni* larvae, 249
induction of by repeated, light exposures to *Schistosoma mansoni* cercariae, 505
Respiratory inhibition, effect of on the development of *Nippostrongylus brasiliensis*, 163
*Rohdella siamensis*, gen. et. sp.nov., 383

*Sarcocystis cruzi*, Feulgen fluorescent staining of DNA in, 13
*Schistosoma mansoni*, electrophysiological responses in, 477
fibronectin determinants on the surface of, 85
induction of resistance by repeated, light exposures of, 505
interactions of the schistosomula of with granulocyte-derived cationic proteins, 491
migration and survival of $\gamma$-irradiated larvae of, 249
patterns of DNA synthesis in, 463
Scolex syncytium, ultrastructure in the metacestode of *Hymenolepis diminuta*, 341
Somatic musculature, development of in *Ascaris suum*, 141
Sporozoites, large-scale purification of for *Eimeria* spp., 515
Stereological analysis, of mitochondrial morphology in *Corrigia vitta*, 439
Surface antigens, of *Trichinella spiralis*, murine monoclonal antibodies to, 359
Survival, of *Fasciola hepatica* miracidia, 97
role of parasite-induced immunodepression in, 153
Susceptibility, of mice to *Eimeria vermiformis*, 45

**Transmission, of *Borrelia crocidurae* in *Ornithodoros* spp., 403**

***Trichinella pseudospiralis*, the open-field behaviour of mice infected with, 415**
***Trichinella spiralis*, antibodies to hidden and exposed determinants of the surface antigens of, 359**
**effect of infection by on behavioural dominance in male mice, 371**
**Trickle infections, ability of to induce resistance to *Schistosoma mansoni* in baboons, 505**
***Trypanosoma brucei*, development of during establishment of infection 67**
**host responses to during establishment of infection, 67**
***Trypanosoma cruzi*, continuous cultivation of with murine cell lines, 283**
**Trypanosomes, infrapopulation dynamics of in red-spotted newts, 267**

**Ultrastructural study, of the development of the polycephalic larvae of *Paricterotaenia paradoxa*, 117**
**of the presence of fibronectin determinants on *Schistosoma mansoni* surface, 85**
**Ultrastructural studies, on the interaction of granulocyte-derived cationic proteins with schistosomula, 491**
**Ultrastructure, of the intestinal mucosa of *Ascaris suum*-infected, protein-deficient pigs, 333**
**of the scolex syncytium of the metacestode of *Hymenolepis diminuta*, 341**
**of the tegumental mitochondria of *Corrigia vitta*, 439**

**Water temperature, effect of on the survival of *Fasciola hepatica* miracidia, 97**